



आई.सी.ए.आर. – केन्द्रीय अन्तर्स्थलीय मात्स्यकी अनुसंधान संस्थान  
बैरकपुर, कोलकाता -700 120, पश्चिम बंगाल  
ICAR -CENTRAL INLAND FISHERIES RESEARCH INSTITUTE  
Barrackpore, Kolkata -700 120, West Bengal



### TENDER NOTICE

Online tenders are invited for “Repair/Renovation of gents toilet at ground floor Prayabaran Bhawan at ICAR-CIFRI, Barrackpore” at an estimated cost of ₹ 3.5 lacs. For details please visit e-procurement portal [www.eprocurement.gov.in/eprocurement/app](http://www.eprocurement.gov.in/eprocurement/app) (Tender ID is 2024\_DARE\_794482\_1).

The Director ICAR-CIFRI, Barrackpore reserves the right to register/reject any/all application without assigning any reason.



आई.सी.ए.आर. – केन्द्रीय अन्तर्स्थलीय मात्स्यकी अनुसंधान संस्थान  
बैरकपुर, कोलकाता - 700 120 , पश्चिम बंगाल  
ICAR -CENTRAL INLAND FISHERIES RESEARCH INSTITUTE  
Barrackpore, Kolkata -700 120, West Bengal



No. Repair/Renovation P.Bhawan-505(1)/2022-23-Works

Dated 8<sup>th</sup> February, 2024

**NOTICE INVITING TENDER**

TENDER NO.1/24/BKP

The Director, ICAR-CIFRI, Barrackpore invites online Quotation through e-procurement portal ([www.eprocure.gov.in](http://www.eprocure.gov.in)) in 2 (two) Bid Systems from Registered/Govt. enlisted contractors for the following works at ICAR-CIFRI, Barrackpore:

| Sr. No. | Name of the Work   |
|---------|--|
| 1       | Repair / Renovation of gents toilet Ground floor, Paryabaran Bhawan. |

Firms are requested to quote the rate in BoQ as per given specification. The scope of work (*vide* Annex-II) to be done is only indicative and not exhaustive. Interested firms may like to visit the Institute for on-site assessment of the jobs required to be done. The tender document and specification details may be downloaded from the e-procurement portal.

No bid other than online quotation in BoQ shall be entertained.

The schedule of processing quotations is as follows:

|    |   |  |
|----|---|--|
| 1. | Date and time for issue/publishing          | 08.02.2024 ; 2:00 P.M  |
| 2. | Document Download start date and time       | 08.02.2024 ; 2.00 P.M.                                       |
| 3. | Bid submission start date and time          | 08.02.2024 ; 2.00 P.M.                                       |
| 4. | Bid submission end date and time            | 21.02.2024 ; 1:00 P.M.                                       |
| 5. | Date and time for opening of technical bids | 22.02.2024 ; 1:00 P.M.                                       |
| 6. | Address for communication                   | The Chief Administrative Officer,<br>ICAR-CIFRI, Barrackpore |

(Kumar Vivek)

Chief Administrative Officer

**TERMS AND CONDITIONS :**

1. Successful bidder must complete the work within 25 days from the date of awarding the contract.
2. The site for the work is instantly available for initiation of the work.
3. Price must **not** be quoted in Technical bid, otherwise bid will be rejected.
4. The following documents in PDF Format are to be upload with the quotation through e-procurement portal [www.eprocure.gov.in](http://www.eprocure.gov.in)
  - a) PDF Copy of valid enlistment/licence/registration with ICAR Institute/Municipality or Cantonment/PWD/CPWD.
  - b) PDF copy of authenticated completion certificate (s) showing work experience (s) for doing at least one work costing not less than 2 lacs in the last 03 years.
  - c) PDF copy of PAN Card & GST Certificate.
  - d) PDF copy of authenticated declaration as per Annexure-III in letter head of the firm.
  - e) PDF copy of check list as per Annex-IV.
  - f) Documentary proof for EMD of Rs. 5000/- (Bank transaction number or photocopy of cheque or draft)

**(The PDF copies submitted as Technical Bid should be legible. If any of the above documents is not uploaded, bid will be summarily rejected)**

5. Detailed specification/Scope of the work is enclosed in ANNEXURE- II.
6. The contractor, whose quotation is accepted, will be required to furnish a security deposit for the fulfilment of the contract and 5% of total bill amount will be as security deposit. The Security deposit will be released after six months from the date on which completion certificate is given by the Officer-in-Charge, Works, ICAR-CIFRI, Barrackpore. Security Deposit will earn no interest.
7. If the contractor fails to rectify the defects within 15 (fifteen) days of receiving written instructions from ICAR-CIFRI, such works shall be done at the cost and on account of the contractor.
8. Tender once submitted will remain valid for 90 (ninety) days for acceptance.
9. Any modification in the work schedule shall be informed to the Institute and subsequent payment for such works will be made accordingly on the basis of the final measurements on that specific item on the rate quoted.
10. Canvassing in connection with the tenders is strictly prohibited and the quotations submitted by the contractors who resort to canvassing will be liable to rejection.
11. The online bid should contain two folders containing Technical Bid and Financial bid in the form of BOQ.
12. The Director, ICAR-CIFRI, Barrackpore, Kolkata- 700 120 reserves the right to accept/reject any quotation or part thereof without assignment any reason.
13. Rate quoted for the items should be inclusive of all taxes/duties (except GST). The rate will remain valid for six months from the date of offer and no change in the rate shall be considered during this period.

14. An agreement will be entered into by the contractor with the Director, ICAR-CIFRI within 07 days of the issuance of the work order.
15. On acceptance of the tender, the name of the accredited representatives of the contractor who would be responsible for taking instruction from the OIC Works shall be communicated to the OIC Works.
16. The Institute authorized representative may carry periodic instruction and supervision of the work as per directions from the competent authority.
17. Any modification in the work schedule shall be informed to the Institute and subsequent payment for such works will be made accordingly on the basis of the final measurements on that specific on the rate quoted.
18. Tax deduction at source will be made wherever applicable.
19. The quotation will be subject to any further terms and conditions as may be fixed by the Govt of India/ ICAR/Director, ICAR-CIFRI.
20. Payment will be released only against the pre-receipted bill submitted in triplicate within 30 days of completion of the works. Payment will be made through RTGS (e-payment). All payments will be made as per prevalent rules and regulations of the Government of India.

**21. LIQUIDITY DAMAGES :**

- I. In all cases of delay by the supplier/agency/contractor in completion of the construction or any part forming them subject matter of this contract beyond the periods specified in purchase order/contract , other than a delay caused by force beyond control (Force Majure), the buyer shall have the right without prejudice in its other remedies under this contract, to claim liquidated damages amounting to 0.5% of the contract/tender value for each week (or part thereof ) of delay until actual delivery or performance or completion of works. However, such damages shall not exceed 10% of the delivery price of the goods or services which the delivery or performance has been delayed.
- II. In the event the supplier/agency/contractor terminates the Contract or part of it, the Director, ICAR-CIFRI, Barrackpore shall have the right to procure/hire/construct upon such terms and in such manner as it deems appropriate, goods or services or works similar to those undelivered and the supplier/agency/contractor shall be liable to the Director, ICAR-CIFRI, Barrackpore for any excess cost incurred for procuring similar goods or services or works,. However, the supplier shall continue performance of the contract to the extent not terminated.

**22. Resolution of disputes :**

- i. All disputes, agreements or questions arising out of or in connection with this contract or relating to its construction or performance shall be settled amicably by mutual consultation. If after 90 days, the parties fail to resolve their differences by mutual discussions, the matter shall be referred by arbitration in accordance with the Arbitration and Conciliation Act 1996.
- ii. The Parties shall continue to perform their obligation under this Contract during the conciliation/arbitration proceedings. The cost of arbitration (including the fees and expenses of the arbitrators) shall be shared equally by the parties, unless the award specifies otherwise.
- iii. This article shall survive the termination of this contract.


23. EMD of Rs. 5000/- will be submitted in the Institute A/C as per details herewith:

- a. Bank Account Name- State Bank of India
- b. Branch- Barrack pore
- c. A/C. no- 11278713220
- d. SBIN0000029

OR

Through Cheque / DD in favour of ICAR UNIT CIFRI Barrackpore.

24. The Director, ICAR-Central Inland Fisheries Research Institute, Barrackpore, Kolkata-700120, West Bengal reserves the right to accept or reject any or all the tenders either in part or in full without assigning any reasons whatsoever.



(Kumar Vivek)  
Chief Administrative Officer

**Documents to be submitted**

The following documents in PDF Format are to be sent by speed post in this office address, ICAR-Central Inland Fisheries Research Institute, Barrackpore, Kolkata -700 120, West Bengal.

- a. PDF Copy of valid enlistment/licence/registration with ICAR Institute/Municipality or Cantonment/PWD/CPWD.
- b. PDF copy of authenticated completion certificate (s) showing work experience (s) for doing at least one work of civil / electrical nature (as per category applied for) costing not less than 2 lacs in the last 03 years.
- c. PDF copy of PAN Card & GST Certificate.
- d. PDF copy of authenticated declaration as per Annexure-III in letter head of the firm.
- e. PDF copy of check list as per Annex-IV.
- f. EMD of Rs. 5000/- (Documentary proof i.e. transaction number or photocopy of cheque/DD)

## SCOPE OF WORK

### Annexure-II

| Sl. No. | Item Description   | Quantity | Units |
|---------|--|----------|-------|
| 1       | 2  | 4        | 5     |
| 2       | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :<br>1.(a) Of area 3sq. Meters and below   | 4.000    | each  |
| 3       | Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.<br>2.(a) For thickness of tiles 10 mm to 25 mm  | 70.000   | sqm   |
| 4       | Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.  | 2.000    | sqm   |
| 5       | Dismantling 15 to 40 mm dia G.I. pipe including stacking of dismantled pipes (within 50 metres lead) as per direction of Engineer-in- Charge.<br>4.(a) Internal Work- Exposed on wall  | 20.000   | Mtr   |
| 6       | Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in- Charge.  | 4.000    | each  |
| 7       | Making the opening in brick masonry including dismantling in floor or walls by cutting masonry and making good the damages to walls, flooring and jambs complete, to match existing surface i/c disposal of mulba/ rubbish to the nearest municipal dumping ground, all complete as per direction of Engineer-in-Charge.<br>6.(a) For door/ window/ clerestory window  | 5.000    | sqm   |
| 8       | Providing, hoisting and fixing up to floor five level precast reinforced cement concrete in small lintels not exceeding 1.5m clear span up to floor five level, including the cost of required centering, shuttering but , excluding the cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). | 0.080    | cum   |

|    |   |        |       |
|----|---|--------|-------|
| 9  | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.<br>8.(a) Thermo-Mechanically Treated bars of grade Fe-500D or more.   | 10.000 | kg    |
| 10 | Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.<br>9.(a) Cement mortar 1:4 (1 cement :4 coarse sand)   | 9.000  | sqm   |
| 11 | Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.<br>10.(a) Granite stone slab colour black, Cherry/Ruby red<br>10.(a).1) Area of slab upto 0.50 sqm | 2.000  | sqm   |
| 12 | 15 mm cement plaster on rough side of single or half brick wall of mix: 11.(a) 1:4 (1 cement: 4 coarse sand)  | 8.000  | sqm   |
| 13 | Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :<br>12.(a) Water thinnable cement primer  | 30.000 | sqm   |
| 14 | Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.<br>13.(a) Two or more coats on new work  | 30.000 | sqm   |
| 15 | Providing and fixing factory made P.V.C. door frame of size 50x47 mm with wall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer-in- Charge.   | 15.000 | metre |



|    |  |        |      |
|----|--|--------|------|
| 16 | <p>Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top &amp; bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail &amp; bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles &amp; rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification &amp; drawing.</p> <p>15.(a) 30 mm thick plain PVC door shutters</p> | 5.000  | sqm  |
| 17 | <p>Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete :</p> <p>16.(a) 150x10 mm</p>  | 9.000  | each |
| 18 | <p>Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :</p> <p>17.(a) 125mm</p>   | 6.000  | each |
| 19 | <p>Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &amp; cold water supply, including all CPVC plain &amp; brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes &amp; fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.</p> <p>Concealed work, including cutting chases and making good the walls etc.18.(a) 20 mm nominal dia Pipes</p>   | 6.000  | Mtr  |
| 20 | 18.(b) 25 mm nominal dia Pipes   | 12.000 | Mtr  |
| 21 | <p>Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.</p> <p>19.(a) 15 mm nominal bore</p>   | 9.000  | each |
| 22 | <p>Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge.</p>  | 11.000 | each |
| 23 | <p>Providing and fixing C.P. brass bib cock 2 in 1 of approved quality conforming to IS:8931:</p> <p>21.(a) 15mm nominal bore</p>  | 2.000  | each |

|    |   |        |      |
|----|---|--------|------|
| 24 | Providing and fixing CP Brass Health facit 1.2m long complete with brackets fixed to wooden cleats with CP brass screw of approved make.  | 2.000  | each |
| 25 | Providing and fixing CP Brass liquid soap dispenser with glass bottle of 400 ml capacity standard shape with bracket of the same materials with snap fittings of approved make.   | 2.000  | each |
| 26 | Providing and fixing CPVC gate valve with C.I. wheel of approved quality ( screwed end):  | 3.000  | each |
| 27 | Providing and fixing up lasticised PVC connection pipe with brass unions<br>:<br>25.(a) 45 cm length<br>25.(a).(1) 15 mm nominal bore   | 8.000  | each |
| 28 | Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. | 70.000 | sqm  |
| 29 | Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.   | 15.000 | sqm  |
| 30 | Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever<br>required:<br>28.(a) White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests                         | 1.000  | each |
| 31 | Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever<br>required<br>:<br>29.(a) W.C. pan with ISI marked white solid plastic seat and lid   | 1.000  | each |
| 32 | Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever<br>require:<br>30.(a) White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap  | 2.000  | each |
| 33 | Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.  | 2.000  | each |

|    |   |       |      |
|----|---|-------|------|
| 34 | Fixing wash basin with C.I. brackets, 15mm C.P. brass pillar taps, 32mm C.P. brass waste of standard of pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:<br><br>White Vitreous china flat back wash basin size 550x 400 mm with single 15mm C.P. brass tap   | 2.000 | each |
| 35 | Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.  | 4.000 | each |
| 36 | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :<br>34.(a) For fixed portion<br>34.(a).(1) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) | 3.000 | kg   |
| 37 | For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)<br>35.(a) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)  | 5.000 | kg   |
| 38 | Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):<br>36.(a) With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)  | 0.600 | sqm  |
| 39 | Providing and fixing white vitreous china flat back half stall urinal of size 580*380*350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipes, spreaders with union and clamps all in CP brass with waste fitting as per IS:2556, CI trap with outlet grating and other couplings in CP Brass, including paintings of fitting and cutting and making good the walls and floors wherever required.<br>Single half stall urinal with 5Ltr. PVC automatic flushing cistern   | 2.000 | no   |

|    |  |        |       |
|----|--|--------|-------|
| 40 | <b>ELECTRICAL</b><br>Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/recessed medium class PVC conduit as required.1.(a) 2 x 1.5 sq. mm + 1 x 1.5 sq. mm earth wire  | 90.000 | Mtr   |
| 41 | 1.(b) 2 X 4 sq. mm + 1 X 4 sq. mm earth wire   | 30.000 | Mtr   |
| 42 | Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.2.(a) 20mm  | 35.000 | Mtr   |
| 43 | 2.(b) 25mm   | 6.000  | Mtr   |
| 44 | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.3.(a) 5/6 amps switch  | 12.000 | each  |
| 45 | 3.(b) 15/16 amp switch   | 3.000  | each  |
| 46 | 3.(c) 3 pin 5/6 amp socket outlet  | 3.000  | each  |
| 47 | 3.(d) 6 pin 15/16 amp socket outlet  | 3.000  | each  |
| 48 | Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc as required. 4.(a) 4 Module (125mmX75mm)  | 8.000  | each  |
| 49 | Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. 5.(a) Group C  | 7.000  | Point |
| 50 | Supplying and fixing 3 pin, 5 amp ceiling rose on the existing junction box/ wooden block including connection etc as required.  | 7.000  | each  |
| 51 | Supplying of 300 mm sweep AC single phase heavy duty Exhaust Fan complete with louver shutter, rotor body, blades, fixing frame etc. As required High speed 900 rpm including installation of the same in the existing opening , including making the hole to suit the size of the above fan, making good the damage, connection, testing , commissioning etc. | 2.000  | each  |
| 52 | Supply of 20 W LED Tube light including installation , testing, and commissioning of the same complete with all accessories and tube etc, directly on wall/ceiling.  | 2.000  | each  |
| 53 | Supply of upto 15 W LED light including installation, testing, and commissioning of the same complete with all accessories and tube etc, directly on wall/ceiling.   | 2.000  | each  |
| 54 | Supply & Erection surface recessed GI junction box. Etc with earth point complete finishes.(with backlight cover) 175x125x4mm 150x100x600mm  | 8.000  | each  |

(Printed on letter Head of Firm)

**TO WHOM IT MAY CONCERN**

We hereby certify that our firm M/S.....  
.....  
.....has not been black listed  
by any Government or semi Government Department in India.

(Seal & Signature of the Contractor)

Annexure-IV

Checklist

| Sl. No. | Details of Document   | Whether Uploaded (Yes/No) |
|---------|---|---------------------------|
| 1       | PDF Copy of valid enlistment/licence/registration with ICAR Institutes/ Municipality or Cantonment/ PWD/ CPWD.  |                           |
| 2       | PDF copy of authenticated completion certificate (s) showing work experience (s) for doing at least one work costing not less than 2 lacs in the last 03 years. |                           |
| 3       | PDF copy of PAN Card & GST Certificate.   |                           |
| 4       | PDF copy of authenticated declaration as per Annexure-III in letter head of the firm.   |                           |
| 5       | PDF copy of check list as per Annex-IV.   |                           |
| 6       | EMD of Rs. 5000/- (Documentary proof i.e. transaction number or photocopy of cheque/DD)   |                           |